

Galion™

ARTISTIC SIMPLICITY



CATALOGUE
PAGES
INSIDE

THE **GLOBAL SPECIALIST**
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES

Visit www.fengshengelectric.com.sg for more details

 **legrand®**

DESIGN CONCEPT



A REFLECTION OF CONTEMPORARY AND FUNCTION

Designed to marry contemporary living with quality and function, Galion's range of wiring devices is crafted with excellence, using only the finest quality of components.


With a border-less design, achieve a statement-making style in every interior design for the chic yet tranquil at heart.






MINIMALIST

The quintessential modernist feature:
Sleek silhouettes




FRENCH CHIC

Being border-less, it gently melds into any interior design style.



SILVER BAR EMBELLISHMENT

The delicate silver bar details accentuate the modern and exquisite elements of a minimalist design.





SLIM EDGE



Explore the subtlety of slim and fine chamfering at the edges, which only the refined can appreciate.

NOISELESS



Enjoy serenity with the unique support frame, which absorbs sounds of the rocker.



CRAFT WITH PRIDE

Finest quality components and materials



ONLY THE BEST-IN-CLASS MATERIALS




Made from fire retardant PC materials that fuses safety, with effortless maintenance to suit that busy lifestyle.

RELIABLE PROTECTION

13A


Encased in fibreglass nylon shutter, enjoy peace of mind with a proven track record that exceeds more than 10,000 times in operations.





PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.





COMFORT IN VIBRANT

Whatever the personality, whatever the lifestyle, enjoy maximum comfort coupled with maximum vibrancy.



FUNCTIONAL AND UNIVERSAL



1 gang switch



2 gang switch



3 gang switch



4 gang switch



13A switch socket with USB charger



Cat6 RJ45 socket



Key card Switch




Do not disturb switch sensor



Dimmer rotary

COLOUR MATCHING

○ **White with silver bar**



● **Champagne with silver bar**




Create your own design and style with different colours

● Rose Gold with electroplate bar



● Dark Silver with silver bar



TO INSTALL



STRENGTH IN ELEGANCE




A honeycomb design supporting frame brings about the best stability and strength for electrical structures.

EASY INSTALLATION



Experience assurance and security through installation with the new saddle-shaped terminal, which can fix up to three 4mm² wires.





CLASSY SIMPLICITY



A soft protection film ensures the devices' cleanliness and neatness during installation.





282400



282400-C3



282400-C1



282402-C2



282404-C2

Single pole standard 16AX - 250 V ~

S/N	Pack	Cat. Nos	Image	Description
1	8	282400 282400-C1 282400-C2 282400-C3		1 gang – 1-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
2	8	282401 282401-C1 282401-C2 282401-C3		1 gang – 2-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
3	8	282402 282402-C1 282402-C2 282402-C3		2 gang – 1-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
4	8	282403 282403-C1 282403-C2 282403-C3		2 gang – 2-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)

Single pole standard 10 AX - 250 V ~

5	8	282404 282404-C1 282404-C2 282404-C3		3 gang – 1-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
6	8	282405 282405-C1 282405-C2 282405-C3		3 gang – 2-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
7	8	282406 282406-C1 282406-C2 282406-C3		4 gang – 1-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
8	8	282407 282407-C1 282407-C2 282407-C3		4 gang – 2-way ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)

Double pole 20AX - 250 V ~

9	8	282408 282408-C1 282408-C2 282408-C3		1 gang – 1-way DP SW amber led ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
10	8	282409 282409-C1 282409-C2 282409-C3		2 gang – 1-way DP SW amber led ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)

Push-buttons 16AX - 250 V ~

11	8	282410 282410-C1 282410-C2 282410-C3		1 gang push no marking ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
12	8	282411 282411-C1 282411-C2 282411-C3		1 gang push button ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)

British standard sockets outlets 13 A - 250 V ~

13	8	282432 282432-C1 282432-C2 282432-C3		1 gang BS 13A switched socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
14	5	282433 282433-C1 282433-C2 282433-C3		2 gang double BS 13A switched SKT ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
15	8	282434 282434-C1 282434-C2 282434-C3		1 gang multi standard switched socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
16	5	282435 282435-C1 282435-C2 282435-C3		2 gang twin SKT multi standard switched ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)

British standard sockets outlets 13 A with USB charger

17	5	282441 282441-C1 282441-C2 282441-C3		1 gang BS switched socket with 1 USB charger ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
----	---	---	--	---

13 A fused connection units

18	8	282450 282450-C1 282450-C2 282450-C3		1 gang 13A fused spur unit ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
19	8	282451 282451-C1 282451-C2 282451-C3		1 gang 13A fused spur unit with switch ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)



282441-C1



282417



282420-C2



282415-C3



282463

S/N	Pack	Cat. Nos			S/N	Pack	Cat. Nos		
20	8	282452 282452-C1 282452-C2 282452-C3		Cable outlets 1 gang 20A cable outlet <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	30	8	282461 282461-C1 282461-C2 282461-C3		Data sockets RJ 45 cat 6 socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
21	1	282417		Switches for hotels Black touch plate push + DND/CUR sign	31	8	282463 282463-C1 282463-C2 282463-C3		Double RJ 45 cat 6 <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
22	8	282416 282416-C1 282416-C2 282416-C3		2 gang switch for DND/CUR <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	32	10	282449 282449-C1 282449-C2 282449-C3		Television sockets TV F type socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
23	5	282415 282415-C1 282415-C2 282415-C3		Key card switch 220V <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	33	8	282448 282448-C1 282448-C2 282448-C3		USB and HDMI USB and HDMI socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
24	1	282418 282418-C1 282418-C2 282418-C3		Key card switch RFID <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	34	15	282470 282470-C1 282470-C2 282470-C3		Blanking plates Blank <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
25	5	282420 282420-C1 282420-C2 282420-C3		Dimmers 500W dimmer rotary <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	35	20	282472 282472-C1 282472-C2 282472-C3		Multi-gang plates 2 gang frame <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
26	8	282445 282445-C1 282445-C2 282445-C3		Telephone sockets RJ 11 socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	36	5	282473 282473-C1 282473-C2 282473-C3		3 gang frame <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
27	8	282446 282446-C1 282446-C2 282446-C3		Double RJ 11 socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	37	5	282474 282474-C1 282474-C2 282474-C3		4 gang frame <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
28	8	282460 282460-C1 282460-C2 282460-C3		Data sockets RJ 45 cat 5E socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 	38	5	282475 282475-C1 282475-C2 282475-C3		5 gang frame <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar)
29	8	282462 282462-C1 282462-C2 282462-C3		Double RJ 45 cat 5E socket <ul style="list-style-type: none"> ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) 					

YOUR CONTACT IN INDONESIA

PT Legrand Indonesia
15th Floor, Generali Tower at Gran
Rubina Business Park
Kawasan Rasuna Epicentrum
Jl. HR. Rasuna Said, Jakarta
Tel: [62] 21 525 06 08
Fax: [62] 21 525 59 35
www.legrand.co.id

YOUR CONTACT IN CAMBODIA

Legrand (S) Pte Ltd Cambodia
Branch & Showroom
#20b Samdach Louis Em (St.282),
BKK1, Phnom Penh
Kingdom of Cambodia
Tel: [855] 0 16 64 77 00
Tel: [855] 0 968 579 354

YOUR CONTACT IN MALAYSIA

Megapower Legrand (M) Sdn Bhd
Lot 1888, Jalan KPB 7,
Kawasan Perindustrian Balakong,
Bukit Belimbing, 43300, Seri Kembangan
Selangor D.E, Malaysia
Tel: [603] 8962 3333
Fax: [603] 8962 3322/ 3388
www.megapower.net.my
www.legrand.com.my

YOUR CONTACT IN MYANMMAR

Legrand (S) Pte Ltd Myanmar
Branch Showroom
MICT Park, Room No (304), Level 2,
Building (15), Hlaing Township,
Yangon Myanmar 11051
Tel: [95] 12 30 52 40
www.legrand.com.mm

YOUR CONTACT IN PHILIPPINES

Bticino Philippines, Inc.
G/F All Seasons Bldg.
112 Aguirre St., Legaspi Village
Makati city, 1229 Philippines
Tel: [63] 2 892 89 72
Fax: [63] 2 892 89 71
www.bticino.com

YOUR CONTACT IN SINGAPORE


Legrand Singapore
Southeast Asia Regional Office
17 Neythal Road, Singapore 628582
Tel: [65] 6416 1550
Fax: [65] 6416 1580
Email: customerhub.sg@legrand.com.sg
www.legrand.com.sg

YOUR CONTACT IN THAILAND




Bticino (Thailand) Limited
10/F Ploenchit Center,
2 Sukhumvit Road,
Kwaeng Klongtoey,
Khet Klongtoey,
Bangkok 10110
Tel: [66] 2 656 9162-7
Fax: [66] 2 656 9197
www.bticino.co.th

YOUR CONTACT IN VIETNAM

Legrand Vietnam
Central Garden Tower, 7th floor
328 Vo Van Kiet Street,
Co Giang Ward, Dist. 1, Ho Chi Minh City
Tel: [848] 39 207 674
Fax: [848] 39 207 675
www.legrand.com.vn



**FOLLOW US
ALSO ON**

@ www.legrand.com
 www.youtube.com/user/legrand
 twitter.com/legrand_news
 pinterest.com/legrandgroup

 **legrand**[®]

BELANKO™

NEED SOMETHING EXTRA ?




THE GLOBAL SPECIALIST IN ELECTRICAL
AND DIGITAL BUILDING INFRASTRUCTURES

 **legrand**®

SIMPLE REASONS TO SWITCH TO BELANKO™

WITH BELANKO™, SIMPLICITY IS BEAUTY.

Now discover **good reasons** why BELANKO™ should be your choice for wiring devices.



03
IDEAL
CHOICE



05
MORE
FUNCTIONALITIES



12
WIDE
ASSORTMENT



14
EASY & SAFE
INSTALLATION



15
NEAT
PRESENTATION



17
PRODUCT
CATALOGUE



IT'S SLEEK AND FUNCTIONAL!

All of the 1 to 4 gang large rockers matches well with the new BS 13 A socket with USB charger



1 GANG 20 A DOUBLE POLE SWITCH WITHOUT NEON 2 GANG 10 AX SWITCH



3 GANG 10 AX SWITCH 4 GANG 10 AX SWITCH



2 GANG SINGLE POLE SWITCHED USB TYPE-A + TYPE-C™ 3 A - 5 V = - 15 W

SIMPLICITY IS BEYOND TIME, IT IS THE DESIGN OF PERFECTION.

WITH BELANKO™, SWITCHES PERFORM EXACTLY THE WAY YOU EXPECT THEM TO.

IDEAL CHOICE



NEED SOMETHING EXTRA ?

For enhanced comfort, Belanko™ offers dimming solutions for complex lighting including dimmable LEDs and compact fluorescent lamps.

NEW UNIVERSAL DIMMER

COMPATIBLE WITH ALL TYPES OF LAMPS

Dimmable LEDs



Dimmable compact fluorescent lamps



Halogen with electronic or ferromagnetic transformer



Incandescent and halogen lamps



ONE FOR ALL

THE NEW 300 W UNIVERSAL DIMMER WORKS FROM 100 V TO 240 V. It can be associated with push-buttons for ON/OFF control of light from another point in the installation.



INSTALLATION WITHOUT NEUTRAL, IDEAL FOR RETROFIT AND NEW BUILDINGS

1000 W AND 1500 W DIMMERS


These 2-way Push ON/OFF Rotary dimmers can be associated with a switch for remote ON/OFF control from another point in the installation. They memorise the last light level set before switch-off. When switched on again, the light level will be restored as previously memorized.



1000 W DIMMER



1500 W DIMMER



VOLTAGE SELECTION
(FOR 1000 W AND 1500 W DIMMERS)

A rated voltage converting switch on the upper right part of the base allows you to select 230 V or 127 V. Factory setting is 230 V.

SHUTTER CONTROL

MOVE SHUTTERS WITHOUT EFFORT.


Just by the push of a button.



1500 W DIMMER

With the 1500 W dimmer, upgrading existing installations is really easy. It can be fitted in either a 1 gang or a 2 gang box, so that there is no need to change boxes in case of retrofit.

IDEAL FOR UPGRADE OR RETROFIT



CLEAR MARKING EASY IDENTIFICATION

BELANKO™ SHUTTER CONTROLS MAKE EVERYDAY LIFE EASIER, WHILE BLENDING IN PERFECTLY WITH THE OVERALL DESIGN OF THE RANGE.

For more convenience, a clear marking allows to easily identify their function.



TWO IN ONE

This new BS 13 A socket with USB charger allows you to charge your mobile devices without blocking access to the power outlet. Just plug your USB cord straight in.

**BS 13A SOCKET
+ USB CHARGER**



THE TRADITIONAL 1 GANG 13 A BS SOCKET OUTLETS ARE EQUIPPED WITH A **2.4 A - 5 V** - 12 W USB CHARGING PORT


**TWO
IN ONE**

The 2 gang 13 A BS sockets are equipped with two different charging ports, Type-A and Type-C™, 3 A - 5 V - 15 W.

Standard compliant
The 13 A BS sockets outlets with USB charger are conform to BS 1363-2 and to IEC 60950-1



**EASY INSTALLATION
EASY UPGRADES**



**WHETHER FOR NEW
INSTALLATIONS
OR FOR RETROFIT:**

The new BS 13 A socket with USB charger enhances any installation quickly and easily.

Fitted exactly like a traditional socket it's easy to install and offers a new function to meet increasing connectivity requirements.

WIDE ASSORTMENT

IP55 WEATHER PROOF PROTECTION COVER



6711311G

6711312G

THE WEATHER-PROOF COVER for socket protection ensures IP55 with or without plug engaged.

HOTEL DEDICATED FUNCTIONS FOR ENHANCED CUSTOMER COMFORT



1 gang multistandard switched socket outlet



Internal control unit



::NEW

BS 13 A socket, switched, + USB charger 2.4 A



115/230 V 20 VA shaver socket



Key card switch

SAFE CONNECTION TO POWER IN DIFFERENT STANDARDS



13 A double pole BS socket outlet, switched
Whenever special safety is required



2P+E 16 A German standard socket outlet



2P+E 15 A US socket outlet



2 gang 13 A BS single pole socket outlet, switched, with inboard rockers

FUNCTIONS TO MEET YOUR EVERYDAY LIFESTYLE REQUIREMENTS



::NEW

1 gang 20 A double pole switch without neon



2 gang 10 AX switch



3 gang 10 AX switch



4 gang 10 AX switch



::NEW

300 W universal dimmer (RLC + LED)



Fan control



::NEW

1 gang push-button without marking




Push-button with bell symbol



::NEW

2 gang push-button for electric shutters



45 A double pole switch + red neon indicator



Single TV socket "F" type



::NEW

RJ 11 + RJ 45 cat.6 telephone and data socket



Fused connection unit



::NEW

BS 13 A socket, unswitched + USB charger 2.4 A



Double RJ 45 socket




FITTING SWITCHES IS PROBABLY ONLY ONE OF THE MANY TASKS you have to undertake.

Ensuring installation is easy and safe means you are left with more time to tackle other tasks.

EASY & SAFE INSTALLATION


■ ■ ■ ■ ■ The safety features of Belanko™ wiring devices make installation both easy and safe.



CLEAR MARKING OF TERMINALS
for easy identification and safe wiring



DOUBLE ENTRY
for each terminal facilitates wiring



WIRES ARE HELD IN PLACE WITH THE CLAMPING PLATE
This reduces the risk of damaging wires. The combination of double entry and clamping plate ensures long term reliability of the connection.

CERTIFIED QUALITY

YOUR SAFETY IS OUR TOP PRIORITY.
That's why Belanko™ wiring devices are compliant with safety standards.

Our ISO 9001 certified production sites reflect Legrand's quality commitment, our constant spur to seek continuous improvement of our performance.





■ ■ ■ ■ ■ You now enjoy peace of mind.
Your switch stays clean and neat until it is delivered to the customer.



We know how important it is for professionals like you to deliver perfect installations fast - always.

Because your goal is also our goal, we ensure that our switches are always neatly wrapped with a soft protective film.

NEAT PRESENTATION



The soft protective film keeps the product safe from dust.



Only the soft protective film will get stained by the ongoing wall paintwork.



The result is a perfectly neat installation - every time.



Colour: White T084
 Material: Thermoplastic with glossy finish
 Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang)
 Supplied with 2 screws M3.5 for BS boxes

Single pole switches 10 AX - 250 VA

Pack	Cat.Nos	Single pole switches 10 AX - 250 VA
10	6 170 00	Large rocker 1 gang - 1-way switch
10	6 170 01	
10	6 170 02	2 gang - 1-way switch
10	6 170 03	
10	6 170 04	3 gang - 1-way switch
10	6 170 05	
10	6 170 06	4 gang - 1-way switch
10	6 170 07	
10	6 170 09	Intermediate switch

Single pole switches 20 AX - 250 VA

Pack	Cat.Nos	Single pole switches 20 AX - 250 VA
Conform to BS EN 60669-1		
Large rocker		
10	6 170 20	1 gang - 1-way
10	6 170 21	
10	6 170 22	2 gang - 1-way
10	6 170 23	
10	6 170 24	3 gang - 1-way
10	6 170 25	
Architraves		
5	6 171 15	1 gang - 1-way
Push-buttons 4 A - 250 V±		
Conform to BS EN 60669-1		
Large rocker		
10	6 170 10	1 gang without marking
10	6 170 11	Bell push
10	6 170 15	2 gang without marking
10	6 170 16	2 gang shutters push-button



Colour: White T084
 Material: Thermoplastic with glossy finish
 Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang)
 Supplied with 2 screws M3.5 for BS boxes

Double pole switches

Pack	Cat.Nos	Double pole switches
20 A - 250 V±		
10	6 170 73	1 gang - 1 way switch
10	6 170 70	1 gang - 1-way switch + red neon indicator
10	6 170 71	
10	6 170 72	1 gang - 1-way switch + red neon indicator + earth connection with "Water Heater" marking
32 A - 250 V±		
10	6 170 74	1 gang - 1-way switch + red neon indicator, white rocker
45 A - 250 V±		
10	6 170 75	1 gang - 1-way switch
10	6 170 76	1 gang - 1-way switch + red neon indicator
5	6 170 77	2 gang - 1-way vertical switch + red neon indicator
Cooker control Unit - 250 V		
5	6 170 78	45 A double pole switch + red neon and 13 A BS switched socket outlet + red neon



Colour: White T084
 Material: Thermoplastic with glossy finish
 Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang)
 Supplied with 2 screws M3.5 for BS boxes

Dimmers

Pack	Cat.Nos	Dimmers
600 W R dimmer (230 V only)		
1	6 170 30	Rotary on/off dimmer - 50 Hz 1 gang - 1-way 40-600 W (230 V) for incandescent and halogen lamps
1000 W RL dimmer		
1	6 170 31	Push on/off and rotary dimmer - 50/60 Hz 1 gang - 2-way 60-1000 W (230 V) / 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) / 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) / 60-500 VA (127 V) for halogen lamps with ferromagnetic transformers Slider at the back to select 230 V or 127 V
1500 W RL dimmer		
1	6 170 32	Push on/off and rotary dimmer - 50/60 Hz 1 gang - 2-way 60-1500 W (230 V) / 60-750 W (127 V) for incandescent and halogen lamps 60-900 VA (230 V) / 60-450 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1500 VA (230 V) / 60-750 VA (127 V) for halogen lamps with ferromagnetic transformers Can be mounted on 1 gang or 2 gang boxes Slider at the back to select 230 V or 127 V
300 W RLC+LED dimmer		
1	6 170 35	For all types of lamps: - dimmable LEDs: 5 W to 75 W (10 lamps max. 5 W to 37 W (127 V)) - dimmable compact fluorescent lamps: 5 W to 75 W (10 lamps max. 5 W to 37 W (127 V)) - halogen with ferromagnetic or electronic transformer: 5 VA to 300 VA / 5 VA to 150 VA (127 V) - fluorescent tube - ballast: 5 VA to 300 VA / 5 VA to 150 VA (127 V) - halogen and incandescent 240 VA: 5 W to 300 W / 5 W to 150 W (127 V) When switched on, gradually (2 seconds) lights up at the level set before last switch-off
Ventilation control		
1	6 170 33	Conform to BS EN 60669-1 Fan control 250 V± 50 Hz



6 171 21 6 170 97 6 170 92

Colour: White T084
Material: Thermoplastic with glossy finish
Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang)
Supplied with 2 screws M3.5 for BS boxes

Pack	Cat.Nos	Television sockets
10	6 171 21	Single TV socket, female
10	6 171 20	Single TV socket, "F" type
10	6 171 23	Double TV socket, female + "F" type
10	6 171 24S	2 gang SCV outlet + TV-FM type F
10	6 171 27	Double female TV socket
Telephone sockets		
10	6 170 99	Telephone connection block 10 connections
10	6 170 95	BS master
10	6 170 96	BS secondary
10	6 170 97	RJ 11 socket
10	6 170 98	Double RJ 11 socket
Data sockets		
10	6 170 90	RJ 45 Cat.5e UTP
10	6 170 91	RJ 45 Cat.6 UTP
10	6 170 92	Double RJ 45 Cat.6 UTP



6 170 12 6 170 13 6 170 68

Colour: White T084
Material: Thermoplastic with glossy finish
Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang)
Supplied with 2 screws M3.5 for BS boxes

Pack	Cat.Nos	Key card switch
1	6 170 12	16 A - 230 V - 50 Hz Time delay of approx. 30 s after card removal
Hotel bedrooms call indicators		
2 settings : - Do not disturb - Please clean the room		
10	6 170 13	Indicator lamp + bell push Installed in the corridor, display calls
10	6 170 14	Internal control unit Installed in the room, allows the user to select the desired setting
Shaver socket		
1	6 170 68	Conform to BS 61558 115/230 V - 20 VA - 50/60 Hz Surface or flush-mounting, back box to be min. 47 mm deep - 2 gang
Security switch		
1	6 170 19	1 A resistive - 250 V± Panic button
Telephone + data sockets		
10	6 170 94	RJ 11 + RJ 45 Cat.5e UTP socket
10	6 170 93	RJ 11 + RJ 45 Cat.6 UTP socket



6 171 41 6 170 46 6 170 58 6 171 44 6 170 51

Colour: White T084. Material: Thermoplastic with glossy finish
Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang). Supplied with 2 screws M3.5 for BS boxes

Pack	Cat.Nos	British Standard socket outlets - 13 A - 250 VA	Pack	Cat.Nos	British Standard socket outlets - 15 A - 250 VA
10	6 171 41	Conform to BS 1363-2 1 gang single pole switched with external rocker	10	6 170 50	Conform to BS 546 1 gang unswitched
5	6 171 46	2 gang single pole switched with inboard rockers	10	6 170 51	1 gang single pole switched
10	6 170 40	1 gang unswitched	10	6 170 52	1 gang single pole switched + neon
5	6 170 45	2 gang unswitched	5	6 170 53	2 gang single pole switched
10	6 170 41	1 gang single pole switched	British Standard socket outlets - 5 A - 250 VA		
10	6 170 43	1 gang double pole switched	10	6 170 54	Conform to BS 546 1 gang single pole switched
5	6 170 46	2 gang single pole switched			
5	6 170 48	2 gang double pole switched			
10	6 170 42	1 gang single pole switched + neon			
5	6 170 47	2 gang single pole switched + neon			
5	6 170 49	2 gang single pole switched with red cover + neon			
British Standard socket outlets - 13 A - 250 VA with USB charger					
1	6 170 58	Conform to BS 1363-2:2016 Conform to IEC 60950-1 USB Type-A 2.4 A - 5 V= - 12 W Consumption in passive mode < 0.07 W 1 gang single pole switched			
1	6 170 57	1 gang unswitched			
1	6 171 44 (Available in 2018)	2 gang single pole switched USB Type-A + Type-C™ 3 A - 5 V= - 15 W Consumption in passive mode < 0.08 W			

Belanko™

socket outlets (continued)



Colour: White T084. Material: Thermoplastic with glossy finish
 Dimensions: 86 x 86 x 9.5 mm (1 gang) / 86 x 146 x 9.5 mm (2 gang). Supplied with 2 screws M3.5 for BS boxes

Pack	Cat.Nos	Euro/US socket outlets - 10 A - 250 VA / 15 A - 127 VA
10	6 170 60	1 gang - 2P
10	6 170 61	1 gang - 2P + 10 AX switch
10	6 170 62	1 gang - 2 x 2P
10	6 170 63	1 gang - 2P+E
10	6 170 64	1 gang - 2 x 2P+E

Pack	Cat.Nos	US socket outlet - 15 A - 127 VA
10	6 170 65	1 gang - 2P+E
10	6 170 56	German standard socket outlet - 16 A - 250 VA 1 gang - 2P+E with shutters for child protection
10	6 170 67	Multistandard switched socket outlet 1 gang
4	6 170 69	Multistandard switched socket outlet 2 gang
10	6 170 59	Multistandard switched socket outlets 16 A - 250 V~ / 15 A - 127 V~ with USB charger Shutterd for child safety USB charger conform to IEC 60950-1 2P+E - 1 gang USB Type-A 2.4 A - 5 V = - 12 W Consumption in passive mode < 0.08W
10	6 171 49	Multistandard switched socket outlets 16 A - 250 V~ / 15 A - 127 V~ with USB charger 2 x 2P+E - 2 gang USB Type-A + Type-CTM 3 A - 5 V = - 15 W Consumption in passive mode < 0.08 W

Belanko™

fused connection units, cable outlets, surface-mounting boxes, plates and blanking plates



Pack	Cat.Nos	Fused connection units
10	6 170 80	13 A Conform to BS 1363-4 Unswitched + cord outlet
10	6 170 81	Switched + cord outlet
10	6 170 82	Switched + neon + cord outlet
10	6 170 85	Cable outlets Conform to BS 5733 20 A - 250 VA
10	6 170 86	45 A - 250 VA
100	6 171 30	Fixing accessories Screw caps
2	6711311G 6711312G	Splash-proof covers mainly for socket protection IP55 with or without plug engaged. Space inside: 86 X 86mm
10	6 133 49	Surface-mounting boxes Conform to BS 5733 depth 35 mm Architrave surface box
8	6 133 50	1 gang surface box - 86 x 86 mm Supplied with earth terminal
4	6 133 51	2 gang surface box - 86 x 146 mm Supplied with earth terminal

Pack	Cat.Nos	Plates
5	6 171 50 T	1 gang - horizontal
5	6 171 51 T	1 gang - vertical
5	6 171 52 T	2 gang - horizontal
5	6 171 53 T	2 gang - vertical
10	6 171 28	Blanking plates Conform to BS 5733 1 gang
5	6 171 29	2 gang
10	6 171 32	Arteor adaptor 1 gang




WANT TO KNOW **MORE?**



FOR MORE INFORMATION ABOUT OUR SOLUTIONS,
PLEASE VISIT OUR WEBSITE: WWW.LEGRAND.COM.SG



FOLLOW US ON

-  www.legrand.com
-  www.youtube.com/user/Legrand
-  www.facebook.com/Legrand
-  twitter.com/Legrand
-  pinterest.com/legrandgroup

SEA 17B04 ©Legrand - July 2017



**Legrand Singapore
Southeast Asia Regional Office**

17 Neythal Road, Singapore 628582

Tel: [65] 6416 1550

Fax: [65] 6416 1580

Email: customerhub.sg@legrand.com.sg

www.legrand.com.sg



It's s  simple

Mixing colours is a breeze with Mallia™. With four new metal plates added to the current range, the possibilities are not only endless, but also exciting.



LOOK



LOOK Love at First Sight 4
TOUCH Something to Behold 10
LOVE Marvel at the Versatility 12
WOO Form and Functionality 18
CLOSE Detail Catalogue 20

Bedazzled by the New Shine?

You should be. When new shine meets all-time favourites, it is natural that your gaze lingers for just a tad longer.



Brushed Stainless Steel



Gold



Lacquered Black



Polished Stainless Steel



LOOK

NEW METAL PLATES



♥ Brushed Stainless Steel with Silver Rocker

♥ Lacquered Black with Dark Silver Rocker

♥ Polished Stainless Steel with Silver Rocker

♥ Gold with Pearl Rocker

White

Dark Silver with Silver Rocker

Copper with Pearl Rocker

Brass with Dark Silver Rocker

Champagne with Silver Rocker

Silver with Dark Silver Rocker

Matt Dark

Let the plateful of Mallia™ colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, enduring brushed stainless steel, mysterious lacquered black, melodic brass, sexy matt black, there is a colour for every style.

A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, gold with pearl, polished stainless steel with silver, lacquered black with dark silver and more, the combinations are simply boundless.



Always the Crowd Pleaser

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the Mallia™ range exudes alluring elegance and uncompromised simplicity – like always.



Silver



White



Pearl




Dark Silver

TOUCH

Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia™ range is more than just a head turner. Its satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.



In a class of its own, whether frontal or side, each curve and detail of Mallia™ stamps uniqueness.



A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



Not to forget, the slim profile also promises to be a perfect fit for every space and design.



milky smooth



metallic blast



polished appeal



LOVE

Marvel at the Versatility of Mallia™



The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

LOVE

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the multi-zone control unit that also enables intercom and remote child-monitoring.



Stand alone tuner



Central unit



Loudspeaker



Radio tuner with local control unit

Form does not need to be compromised with Mallia™. TV and FM sockets can now sit right beside the rest of your switches. No compromise to style.



TV female terminal socket



FM-TV socket



1-gang switch



2-gang switch



3-gang switch



4-gang switch



2-gang illuminated switch



3-gang illuminated switch



Bell push-button



Indicator for Do not disturb / Clean up and bell push-button



Do not disturb / Clean up 2-gang switch



Rotary dimmer

Even more versatile than you expect

The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Beyond getting the ergonomics right, Mallia™ goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

Be connected to the world in style with telephone and data sockets from Mallia.



Telephone socket

Data socket



We know what counts. Mallia™'s automatic switch and time delay switches help to save energy, so that there is more for other things.



Rotary dimmer control and 2 way switch

Automatic switch

Time delay switch



Fan speed control



Telephone socket




2-gang switch with transparent rocker and label holder



1-gang 45A DP switch with LED indicator



1-gang (BS) socket outlet



2-gang socket outlet



Multistandard socket outlet



Automatic switch



FM-TV socket

Irresistibly charming. The Mallia™ range is so easy to love. Like a chameleon that is highly adaptable, Mallia™ rises up to the occasion, in style – always.



Our affinity lasts a lifetime. Not only does Mallia™ offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.



Slim design of the mechanisms gives way for larger wiring space in the box.




100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia™.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied		
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™ single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91



2 810 75

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

10	2 810 41	N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White

Pack Cat.Nos Programmable switch

1	2 810 92	Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
---	----------	--

Dimmers

10	2 810 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ○ White
1	NEW 2 810 85	Rotary dimmer 60-1000 W for incandescent and halogen lamps 230 V 60-100 VA for halogen lamps with ferromagnetic transformers can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral ○ White

Time delay switch

1	2 810 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
---	----------	--

Fan speed controls

1	NEW 2 810 81	400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White

Automatic switch

1	2 810 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White
---	----------	--

Cooker control unit 45 A - 250 V~

5	2 810 75	Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
---	----------	--

Mallia™ telephone, data, television, shaver sockets and cable outlets - complete white



2 811 60



2 811 65



2 811 35



2 811 47

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Telephone sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 68	BS master telephone sockets ○ White
5	2 811 69	BS secondary telephone sockets ○ White
10	2 811 70	2 A - 3 pin sockets ○ White

Data sockets

5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White

Pack Cat.Nos Telephone and data sockets

5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White
---	----------	---

Television sockets

10	2 811 51	TV female terminal socket ○ White
10	2 811 52	TV female "F" type socket ○ White
5	2 811 53	TV-R terminal socket ○ White
5	2 811 57	TV-R-SAT socket ○ White
2	2 811 55	TV-FM SCV Outlet type F (2 gang) ○ White

Shaver socket

1	2 811 35	Shaver socket 240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ○ White
---	----------	--

Cable outlets

10	2 811 47	20 A ○ White
5	2 811 48	45 A ○ White

Mallia™ British standard socket outlets and fused connection units - complete white



2811 10



2811 14



2811 28



2811 29

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2811 12	2 gang unswitched ○ White Dim.: 146 x 86 mm
10	2811 11	1 gang - single pole switched ○ White
10	2811 14	1 gang - single pole switched with red power indicator ○ White
5	2811 13	2 gang - single pole switched ○ White Dim.: 146 x 86 mm
5	2811 15	2 gang - single pole switched with red power indicator ○ White Dim.: 146 x 86 mm
10	2811 16	1 gang - double pole switched ○ White
10	2811 18	1 gang - double pole switched with red power indicator ○ White
5	2811 17	2 gang - double pole switched ○ White Dim.: 146 x 86 mm
5	2811 19	2 gang - double pole switched with red power indicator ○ White Dim.: 146 x 86 mm

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2811 27	Conform to BS 546 1 gang unswitched ○ White
10	2811 28	1 gang switched ○ White
10	2811 29	1 gang switched, with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2811 31	Conform to BS 546 1 gang unswitched ○ White
10	2811 32	1 gang switched ○ White

Pack	Cat.Nos	13 A fused connection units
10	2811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2811 41	Switched ○ White
10	2811 42	Switched with red LED power indicator ○ White

Mallia™ Euro-US and German standard socket outlets - complete white



2 811 00



2 811 20

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

10	2 811 25	German standard socket outlets 16 A - 250 V~ 2P+E - 1 gang ○ White - Vertical mounting
10	2 811 26	○ White - Horizontal mounting

10	2 811 20	Multistandard socket outlets 16 A - 250 V / 15 A - 127 V 2P+E - 1 gang ○ White
----	----------	--

10	2 811 05	US standard socket outlets 15 A - 127 V SASO agreement 2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

Red catalogue numbers: New products

Mallia™ switches for hotels, downlighters and sound distribution - complete white



2 810 48



2 810 97







2 811 82









2 811 84

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White 
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White 
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White 

5	2 810 97	Downlighter Low output downlighter 230 V~ , with LED 2P+E - 1 gang ○ White 
---	----------	--

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White 

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm 
1	2 811 82	Central unit ○ White 
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White 
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White 
1	2 811 85	Loudspeaker ○ White 

Mallia™ single pole switches - customisable colours

NEW



2 830 02



2 832 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 00	
5	2 834 00	
5	2 830 01	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 01	
5	2 834 01	
4	2 830 08	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 08	
4	2 834 08	
5	2 830 02	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 02	
5	2 834 02	
5	2 830 03	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 03	
5	2 834 03	
5	2 830 04	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 04	
5	2 834 04	
5	2 830 05	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 05	
5	2 834 05	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 06	
5	2 834 06	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 07	
5	2 834 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied
5	2 830 10	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 10	
5	2 834 10	
5	2 830 11	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 11	
5	2 834 11	
4	2 830 09	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 09	
4	2 834 09	
5	2 830 12	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 12	
5	2 834 12	
5	2 830 13	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 13	
5	2 834 13	
5	2 830 14	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 14	
5	2 834 14	
5	2 830 15	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 15	
5	2 834 15	
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 16	
5	2 834 16	
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 17	
5	2 834 17	

Mallia™ single pole switches and double pole switches - customisable colours

NEW



2 834 53



2 830 54



2 832 62



2 834 66



Plate selection charts p. 36-37

Conform to BS EN 60669 - 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 50	
5	2 834 50	
5	2 830 51	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 51	
5	2 834 51	
4	2 830 69	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 52	
5	2 834 52	
5	2 830 53	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 53	
5	2 834 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 54	
5	2 834 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 55	
5	2 834 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	Equipped with earth link connector 1 gang - 1-way <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 61	
5	2 834 61	
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 62	
5	2 834 62	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 65	2 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 67	
5	2 834 67	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 68	
5	2 834 68	

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
5	2 830 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 71	
5	2 834 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 34) <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 73	
5	2 834 73	

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - customisable colours

NEW



2 830 84



2 834 90



2 832 81



2 812 75

Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates - Dim.: 86 x 86 mm

Pack Cat.Nos **Push-buttons 10 A - 250 V~**

Pack	Cat.Nos	Description
5	2 830 41	N/O contact (push to make) ● Silver ● Pearl ● Dark Silver
5	2 832 41	
5	2 834 41	
5	2 830 40	N/O contact with bell symbol ● Silver ● Pearl ● Dark Silver
5	2 832 40	
5	2 834 40	

Dimmers

Pack	Cat.Nos	Description
1	2 830 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ● Silver ● Pearl ● Dark Silver
1	2 832 80	
1	2 834 80	
1	2 830 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ● Silver ● Pearl ● Dark Silver
1	2 832 84	
1	2 834 84	
1	2 830 85	Rotary dimmer 60-1000 W for incandescent and halogen lamps 230 V 60-1000 VA for halogen lamps with ferromagnetic transformers Can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral ● Silver ● Pearl ● Dark Silver
1	2 832 85	
1	2 834 85	

Automatic switches

Pack	Cat.Nos	Description
1	2 830 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ● Silver ● Pearl ● Dark Silver
1	2 832 90	
1	2 834 90	

Pack Cat.Nos **Programmable switches**

Pack	Cat.Nos	Description
1	2 830 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ● Silver ● Pearl ● Dark Silver
1	2 832 92	
1	2 834 92	

Time delay switches

Pack	Cat.Nos	Description
1	2 830 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ● Silver ● Pearl ● Dark Silver
1	2 832 91	
1	2 834 91	

Fan speed controls

Pack	Cat.Nos	Description
1	2 830 81	400 VA rotary fan controls ● Silver ● Pearl ● Dark Silver
1	2 832 81	
1	2 834 81	
1	2 830 82	5-speed fan controls 100 W for fan with overall diameter 48" ● Silver ● Pearl ● Dark Silver
1	2 832 82	
1	2 834 82	

Cooker control units 45 A - 250 V~

Pack	Cat.Nos	Description
5	2 812 75	Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver
5	2 832 75	
5	2 834 75	

Mallia™ telephone, data, television, shaver sockets and cable outlets - customisable colours

NEW



2 835 63



2 831 62



2 835 51



2 831 35

Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates - Dim.: 86 x 86 mm

Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Telephone sockets
5	2 831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 60	
5	2 835 60	
5	2 831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 63	
5	2 835 63	
5	2 831 68	BS master telephone sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 68	
5	2 835 68	
5	2 831 69	BS secondary telephone sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 69	
5	2 835 69	
5	2 831 70	2 A - 3 pin sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 70	
5	2 835 70	

Pack Cat.Nos Data sockets

5	2 831 61	RJ 45 Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 61	
5	2 835 61	
5	2 831 62	RJ 45 Cat. 6 UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 62	
5	2 835 62	
5	2 831 64	Double RJ 45 Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 64	
5	2 835 64	
5	2 831 65	Double RJ 45 Cat. 6 UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 65	
5	2 835 65	

Pack Cat.Nos Telephone and data sockets

5	2 831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 66	
5	2 835 66	
5	2 831 51	Television sockets TV female terminal sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 51	
5	2 835 51	
5	2 831 52	TV female "F" type sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 52	
5	2 835 52	
5	2 831 53	TV-R terminal sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 53	
5	2 835 53	
5	2 831 57	TV-R-SAT sockets <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 57	
5	2 835 57	
5	2 831 55	TV-FM SCV outlet type F (2 gang) <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 55	
5	2 835 55	

Shaver sockets

1	2 831 35	240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm <ul style="list-style-type: none"> Silver Pearl Dark Silver
1	2 833 35	
1	2 835 35	

Cable outlets

Conform to BS 5733		
5	2 831 47	20 A <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 47	
5	2 835 47	
5	2 831 48	45 A - supplied complete with plate <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 48	
5	2 835 48	

Mallia™ British standard socket outlets and fused connection units - customisable colours



2 833 13



2 817 18



2 835 28



2 833 42

Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1. Painted polycarbonate front cover
Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
5	2 831 10	1 gang unswitched
5	2 833 10	● Silver
5	2 835 10	● Pearl
		● Dark Silver
5	2 831 12	2 gang unswitched - Dim.: 146 x 86 mm
5	2 833 12	● Silver
5	2 835 12	● Pearl
		● Dark Silver
5	2 831 11	1 gang - single pole switched
5	2 833 11	● Silver
5	2 835 11	● Pearl
		● Dark Silver
5	2 831 14	1 gang - single pole switched with red power indicator
5	2 833 14	● Silver
5	2 835 14	● Pearl
		● Dark Silver
5	2 831 13	2 gang - single pole switched - Dim.: 146 x 86 mm
5	2 833 13	● Silver
5	2 835 13	● Pearl
		● Dark Silver
5	2 831 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 833 15	● Silver
5	2 835 15	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
5	2 813 16	1 gang - double pole switched
5	2 816 16	● Silver
5	2 817 16	● Pearl
		● Dark Silver
5	2 813 18	1 gang - double pole switched with red power indicator
5	2 816 18	● Silver
5	2 817 18	● Pearl
		● Dark Silver
5	2 813 17	2 gang - double pole switched - Dim.: 146 x 86 mm
5	2 816 17	● Silver
5	2 817 17	● Pearl
		● Dark Silver
5	2 813 19	2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 816 19	● Silver
5	2 817 19	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
5	2 831 27	1 gang unswitched
5	2 833 27	● Silver
5	2 835 27	● Pearl
		● Dark Silver
5	2 831 28	1 gang switched
5	2 833 28	● Silver
5	2 835 28	● Pearl
		● Dark Silver
5	2 831 29	1 gang switched, with red LED power indicator
5	2 833 29	● Silver
5	2 835 29	● Pearl
		● Dark Silver
		British standard socket outlets 5 A - 250 V~
		Conform to BS 546
5	2 831 31	1 gang unswitched
5	2 833 31	● Silver
5	2 835 31	● Pearl
		● Dark Silver
5	2 831 32	1 gang switched
5	2 833 32	● Silver
5	2 835 32	● Pearl
		● Dark Silver

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
5	2 831 40	Unswitched
5	2 833 40	● Silver
5	2 835 40	● Pearl
		● Dark Silver
5	2 831 41	Switched
5	2 833 41	● Silver
5	2 835 41	● Pearl
		● Dark Silver
5	2 831 42	Switched with red LED power indicator
5	2 833 42	● Silver
5	2 835 42	● Pearl
		● Dark Silver

Mallia™ Euro-US and German standard socket outlets - customisable colours

NEW



Plate selection charts **p. 36-37**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	
5	2 831 00	2P - 1 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 00	
5	2 835 00	
5	2 831 01	2P - 1 gang + 10 A switch <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 01	
5	2 835 01	
5	2 831 02	2P - 2 gang (separated connection) <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 02	
5	2 835 02	
5	2 831 03	2P+E - 1 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 03	
5	2 835 03	
5	2 831 04	2P+E - 2 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 04	
5	2 835 04	

German standard socket outlets 16 A - 250 V~

5	2 831 25	2P+E - 1 gang <ul style="list-style-type: none"> Silver - vertical mounting Pearl - vertical mounting Dark Silver - vertical mounting
5	2 833 25	
5	2 835 25	
5	2 831 26	<ul style="list-style-type: none"> Silver - horizontal mounting Pearl - horizontal mounting Dark Silver - horizontal mounting
5	2 833 26	
5	2 835 26	

Multistandard socket outlets - 16 A - 250 V / 15 A - 127 V

5	2 831 20	2P+E - 1 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 20	
5	2 835 20	

US standard socket outlets 15 A - 127 V - SASO agreement

5	2 831 05	2P+E - 1 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 05	
5	2 835 05	
5	2 831 06	2P+E - 2 gang <ul style="list-style-type: none"> Silver Pearl Dark Silver
5	2 833 06	
5	2 835 06	

Mallia™ switches for hotels, downlighters and sound distribution - customisable colours

NEW



2 830 45



2 834 97



2 833 80



2 831 85



Plate selection charts **p. 36-37**

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		Key card switches - 15 A Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 832 48	
1	2 834 48	
		Do not disturb / Occupied / Clean up Bell push-buttons
5	2 830 45	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 45	
5	2 834 45	
		Do not disturb / Clean up - 2 gang switches
5	2 830 46	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 46	
5	2 834 46	
		Downlighters
		Low output downlighters 230 V~ , with LED
5	2 830 97	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 80	
1	2 835 80	
		Configurable sound distribution system for several rooms
		Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 81	
		Central units
1	2 831 82	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 82	
1	2 835 82	
		Local control units With LCD display, child surveillance and intercommunication
1	2 831 83	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 83	
1	2 835 83	
		Radio tuner with local control units Dim.: 146 x 86 mm
1	2 831 84	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 84	
1	2 835 84	
		Loudspeakers
1	2 831 85	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™ plates, frames, blanking plates, adaptors and accessories - customisable



Plate selection charts **p. 36-37**

Pack	Cat.Nos	Plates
		1 gang
10	2 819 00	○ White
10	2 819 05	● Silver
10	2 819 10	● Champagne
10	2 819 50	● Pearl
10	2 819 55	● Dark Silver
10	2 819 60	● Brass
10	2 819 65	● Bronze
10	2 819 70	● Matt Black
10	2 819 75	● Copper
1	2 819 78	● Brushed Stainless Steel
1	2 819 82	● Gold
1	2 819 86	● Polished Stainless Steel
1	2 819 90	● Lacquered Black
		2 x 1 gang
5	2 819 01	○ White
5	2 819 06	● Silver
5	2 819 11	● Champagne
5	2 819 51	● Pearl
5	2 819 56	● Dark Silver
5	2 819 61	● Brass
5	2 819 66	● Bronze
5	2 819 71	● Matt Black
5	2 819 76	● Copper
1	2 819 79	● Brushed Stainless Steel
1	2 819 83	● Gold
1	2 819 87	● Polished Stainless Steel
1	2 819 91	● Lacquered Black
		2 gang - Vertical
		For 2 gang vertical DP switch 45 A (p. 28)
5	2 819 02	○ White
5	2 819 07	● Silver
5	2 819 12	● Champagne
5	2 819 52	● Pearl
5	2 819 57	● Dark Silver
5	2 819 62	● Brass
5	2 819 67	● Bronze
5	2 819 72	● Matt Black
5	2 819 77	● Copper
1	2 819 80	● Brushed Stainless Steel
1	2 819 84	● Gold
1	2 819 88	● Polished Stainless Steel
1	2 819 92	● Lacquered Black


Pack	Cat.Nos	Blanking plates
		1 gang
10	2 811 90	○ White
10	2 831 90	● Silver
10	2 833 90	● Pearl
10	2 835 90	● Dark Silver
		2 gang
5	2 811 91	○ White
5	2 831 91	● Silver
5	2 833 91	● Pearl
5	2 835 91	● Dark Silver
		Arteor adaptors
		1 gang
5	2 811 92	○ White - Supplied with plate (complete)
5	2 831 92	● Silver - Supplied without plate
5	2 833 92	● Pearl - Supplied without plate
5	2 835 92	● Dark Silver - Supplied without plate
		2 gang
5	2 811 93	○ White - Supplied with plate (complete)
5	2 831 93	● Silver - Supplied without plate
5	2 833 93	● Pearl - Supplied without plate
5	2 835 93	● Dark Silver - Supplied without plate
		Transparent rockers with label holders for switches
		Can be used instead of the standard rocker plates Supplied with white labels
5	2 818 95	1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang
		Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

Mallia™

complete white or customisable colours: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia White



■ Modular mounting: Mallia White and colours



■ Dressable mounting: Mallia colours



Mallia™ plates selection chart

PLATES						
	Size	1 gang	2 x 1 gang	2 x 1 gang	3 x 1 gang	4 x 1 gang
Dimension	86 x 86 mm	146 x 86 mm	172 x 86 mm	258 x 86 mm	344 x 86 mm	430 x 86 mm
White	2 819 00	2 819 01 *	2 816 20	2 816 30	2 816 40	2 816 50
Silver	2 819 05	2 819 06 *	2 816 21	2 816 31	2 816 41	2 816 51
Champagne	2 819 10	2 819 11 *	2 816 22	2 816 32	2 816 42	2 816 52
Pearl	2 819 50	2 819 51 *	2 816 23	2 816 33	2 816 43	2 816 53
Dark Silver	2 819 55	2 819 56 *	2 816 24	2 816 34	2 816 44	2 816 54
Brass	2 819 60	2 819 61 *	2 816 25	2 816 35	2 816 45	2 816 55
Bronze	2 819 65	2 819 66 *	2 816 26	2 816 36	2 816 46	2 816 56
Matt Black	2 819 70	2 819 71 *	2 816 27	2 816 37	2 816 47	2 816 57
Copper	2 819 75	2 819 76 *	2 816 28	2 816 38	2 816 48	2 816 58
Brushed Stainless Steel	2 819 78	2 819 79	-	-	-	-
Gold	2 819 82	2 819 83	-	-	-	-
Polished Stainless Steel	2 819 86	2 819 87	-	-	-	-
Lacquered Black	2 819 90	2 819 91	-	-	-	-

Red catalogue numbers: New products

Mallia™ plate selection charts - customisable (continued)

PLATES	 		 	
	BLANKING PLATES		ARTEOR ADAPTORS	
	1 gang	2 gang	1 gang	2 gang
White 	2 811 90	2 811 91	2 811 92	2 811 93
Silver 	2 831 90	2 831 91	2 831 92	2 831 93
Pearl 	2 833 90	2 833 91	2 833 92	2 833 93
Dark Silver 	2 835 90	2 835 91	2 835 92	2 835 93



Legrand Singapore Showroom

15 Jalan Kilang Barat
#07-05 Frontech Centre
Singapore 159357

Tel.: + (65) 6416 1550

Fax: + (65) 6416 1580

Email: customerhub.sg@legrand.com.sg

www.legrand.com.sg